

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Rocky Mountain Seed

Frank W. Campbell, 7521 Dunedin St., Detroit, U.S.A.

* means feet or = 0.3045 metres.
" means inches or = 25.400 millimetres.
25c a packet, or 25 packets for \$5. Bulk quantities cheaper.

Abronia latifolia, yellow, sand.
Abronia umbellata, rosy purplish, pure sand.
Achlys triphylla, Sweet-after-death, shady logs or moss, foliage big and fragrant, fls. white, 18".
Aconitum columbianum, damp, blue purple, June.
Aconitum acuminatum, Neutral, June, pink.
Amsinckia intermedia, yellow, annual.
Anacalis arvensis, coral red creeper, sun.
Anemone occidentalis, sandy, sun, white, ferny foliage, ornamental seed head.
Anemone patens, silky buds, pale lilac flowers in spring, 6".
Aquilegia caerulea, a long-spurred columbine, large blue and white flowers.
Aquilegia formosana
Aquilegia pubescens, Long spurred, ivory to buff.
Aquilegia truncata, red and yellow.
Arabis lyali, shady rocks, fls. pink, 8".
Aracea lysichiton, damp bog, fls. yellow, immense leaves, 2'.
Arbutus menziesi, Madrona (Ac) red berried evergreen tree.
Arctostaphylos tomentosa (Ac) fls. pink, maroon bark, evergreen, 15'.
Arctostaphylos uva-ursi (Ac) creeping evergreen, for sunny sand, red berries.
Arenaria compacta, Germinates quickly.
Arenaria hookeri, early starlike white flowers, low, tufty, foliage lavender, sun.
Arneria vulgaris, sandy, 4".
Arnica foliolosa var. *livana*.
Artemisia atomifera, Alkaline, August, pale yellow, 3 ft.
Artemisia trochocki.
Artemisia tridentata sagebrush, Alkaline, July-September, yellow 3 ft. shrub.
Asarum caudatum, moist, very shady, maroon.

Aster andersonii.
Aster occidentalis, Alkaline, August, violet, early, dry, sunny.
Astragalus shortlanus (Alk). bright purple, early, dry, sunny.
Azalea occidentalis (Ac) damp, fls. white to pink, 1-10".
Baeria chrysostoma, gold, moist.
Boykinia occidentalis, moist, large head of small white fls., 1-2".
Brodiaea congesta, dry, blue, 1-2".
Brodiaea grandiflora, very dry, deep blue, 6".
Brodiaea lactea, moist shade or ordinary soil, white striped green, 12-18".
Bryanthus brevis.
Calandrinia californica, rose, sun.
Calceolarius macneus, damp, seashell pink, 2-4".
Calochortus maweanus, white tinted, 4-6".
Camassia quamash (esculent) common camas, Neutral, June, lovely light blue.
Camassia leichlini.
Campanula petiolata, free-flowering blue harebell, 1'.
Campanula pipit.
Campanula rotundifolia, Harebell, Neutral, July-October, blue, 2-3 ft., easy doer, sun or shade.
Calypso borealis (Ac) shade, old evergreen needles or moss, pink, 4-10".
Cardium occidentalis, crimson.
Castilleja breweri, Low, for rocky slopes.
Castilleja albicortisoni, Moist meadows.
Ceanothus integrissimus, blue, white, pink or lavender, 6-8".
Castilleja integris, vivid scarlet, dry, 6".
Castilleja minima, vermillion.

Ceanothus arboreus
Ceanothus prostratus, Mahala-mats, fls. lavender, creeping evergreen.
Chamaebatrachia millefolium. A shrubby spiraea with fine cut leaves.
Chimaphila umbellata (Ac).
Chimaphila menziesi (Ac).
Chrysothamnus naucaneus, Alkaline, July-September, yellow, 2-3 ft., shrubby.
Clarkia coccinea, rose purple.
Clarkia elegans.
Claytonia lanceolata, damp, fls. white, 2-4".
Clematis douglasii, purple, bush-like, half shade, silky seed pods.
Clematis ligusticifolia, western virginia bower, Neutral, vine, June-August, white.
Clematis sinis.
Clematis texensis (coccinea) scarlet climber in late summer.
Cleome lutea, Alkaline, July, yellow, 3 ft.
Cleome serrulata, Alkaline, July-August, rose-purple, 3 ft.
Clintonia uniflora, shade, fls. white, 4".
Clintonia pulchella, Neutral, June-August, red, 15 in.
Collinsia bicolor, Chinese-houses, Neutral, June, rose and white, 1 ft., annual.
Coryopsis bigelovi, yellow and orange, dry.
Coronopsis nuttallii, Pacific dogwood, fls. white and very large, tree to 40".
Corydalis aurea, sun, gravel, early, 1'.
Corydalis montana, annual, yellow.
Corydalis pulverulenta, crimson, 4".
Crassina grandiflora (Alk), rosette, 1 foot clumps of gold, dry, sun, overhanging.
Cynoglossum grande, dry, slight shade, like a large forget-me-not, 1-2".
Darlingtonia californica, scarlet.
Delphinium elatum, purple, 1 foot.
Delphinium geyeri, intense blue, gray foliage, dry sunny.
Delphinium parryi, dark purple.
Dendromecon rigidum, bright yellow, sun.
Dicentra chrysantha, yellow, sand, half shade.
Dicentra formosa, Western bleeding heart (Ac) fls. pink, shade, almost everblooming.
Dodecatheon hendersoni, acid, rose to crimson, rock garden in sun, 6-10".
Dodecatheon jaffreyi var. *redolens*, Probably best of all "bleeding stars".
Drosera rotundifolia, annual.
Eriogonum umbellatum, yellow and brown flowers.
Epilobium obovatum, Neutral, deep rose pink. Rockery plant of great merit.
Erigeron albidus, Good low rockery plant.
Erigeron compositus, sun, white, 1-2".
Erigeron compositus, var. *trifidus*, sandy, sun, large white flowers, 3".
Erigeron foliosus var. *confusus*, dry rocks, fls. blue, 6".
Erigeron linearis, Alkaline, June-July, violet, 6 in.
Erigeron radicans, sandy, sun, 2", blue.
Erigeron salusignosus, Alaska fleabane, shade or moist meadow in sun, large blue daisy, 6-12".
Eriogonum compositus, sun, white, 1-1 1/2".
Eriogonum lobbi.
Eriogonum umbellatum, bright yellow, 6".
Eriophyllum caespitosum, Oregon sunshine, dry, sun, yellow, 6-10".
Eriophyllum lantanum, Alkaline, June-August, decumbent, 6-8 in.

Useful Societies

Certain societies are very helpful considering the small dues asked, and I highly recommend joining some of them, such as: American Horticultural Society. Very instructive magazine at less than cost. Secretary, 1629 Columbia Rd., Washington, D. C. The Wild Flower Preservation Society, Inc., 3740 Oliver St., Washington, D. C., publishes very interesting information

If you desire all future lists, ask to be kept on my mailing list

Eriophyllum pedunculatum, Alkaline, June-August, yellow, 10 in.
Erysimum asperum, Rough blistercress, chrome yellow, dry, 1-3".
Erysimum asperum var. *perenne*.
Erythraea venusta, pink, dry, 1'.
Erythronium citrinum (Ac) yellow tipped pink, dry or moist, leaf mottled, 6-10".
Erythronium giganteum, acid, dry or moist, white, mottled leaf, 6-10".
Erythronium grandiflorum, bright yellow, 4-8".
Erythronium montanum
Erythronium grandiflorum var. *parviflorum*
Erythronium grandiflorum var. *robustum*
Erythronium hendersoni, acid, dry or moist, lavender and maroon, mottled leaves, 6-10".
Euploea convolvulacea, annual, satiny-white bells, dry, sunny, long period of bloom.
Fritillaria kamschatcensis.
Fritillaria lanceolata, moist, 1-2".
Fritillaria pulegiata, yellow, 4-6".
Fritillaria recurva, red, for rock garden, 1-2".
Gaillardia aristata, Neutral, August, yellow with brown center, 18 in.
Gaitheria shallon, Salal (Ac) shaded woods, evergreen, 3".
Gaura coccinea, dwarf, white to pink, dry, fragrant.
Gentiana bigelovi (Ac), clusters of bright blue, dry.
Gentiana elegans, western form of fringed gentian, acid soil, wet.
Gentiana parryi, deep blue, 1'.
Gentiana seppium.
Gentiana setigera, bog, deep blue, long blooming, 6".
Goodyera menziesi (Ac) shade, 8".
Gilia achilleaefolia, yellow glia, Neutral, July, lavender-blue, 10 in.
Gilia aggregata, scarlet biennial, 1-2".
Gilia aggregata, var. *bridgesii*.
Gilia aurea, yellow.
Gilia californica, rose.
Gilia capitata, annual, white or blue, 1-2".
Gilia grandiflora, annual, salmon pink, 1-3".
Gilia liniflora, flax flower glia, Neutral, July, white, 10 in.
Gilia pulchella.
Gilia rutillica, biennial (Ac), scarlet or pink, gravelly, sunny, 3".
Gilia pungens, sand, sun, fls. white to pink; spreading.
Gilia tricolor, birdseye glia, Neutral, July, three colors, 8-10 in.
Godetia anemone, lavender pink.
Gorniani obtusata, fleshy sedum like, dry.
Grindelia nana, Alkaline, September, yellow.
Habenaria leucostachys.
Habenaria suffruticosa.
Harporia trachyneura, ferny leaves, golden flowers, dry.
Hedysarum umbellata (Alk), pink pea blossoms, dry, sun, 1'.
Heliopsis quinquevallis, yellow, early, tall.

Hemizonia congesta lutescens, dry.
Heuchera bracteata, small tufty.
Heuchera cylindrica.
Heuchera glabra, large spray of fine white flowers, good for crevices, 6-10".
Heuchera micrantha, white baby-breath-like.
Heuchera rubescens (type).
Heuchera rubescens var. *elegans*.
Holodiscus arifolia (spiraea), Oceanspray (Ac) damp, fls. white in fine large spray, 6".
Hulsea algida. A true alpine. Large yellow flower, one to a stem, but many stems.
Impatiens leucophylla, low bushy morning-glory, file the deep seed.

Iris bracteata, low bushy morning-glory, file the deep seed.
Iris chrysophylla, white or yellow, 3-9".
Iris longicaulis, lavender, dry, summer.
Iris missouriensis (tolmiana), Rocky mountain iris, Neutral, June, light violet, 10 in., easy doer, fine mass.
Iris tenax, Oregoniris, deep blue, 6-8".
Jamesia americana variety *californica*.
Lappula nervosa, forget-me-not like, 1-2".
Lathyrus glabrata, (Ac) yellow, damp, wet, pink, 6-8".
Lathyrus splendens, crimson pea.
Lathyrus torreyi

Lavatera assurgentifolia, rose purple, 6".
Layla elegans, gold and white.
Lepachys columnaris (ratibida) dark cones with yellow drooping rays, blooms first year, long season of bloom, 1'.
Lepachys pulcherrima, same as above but mahogany-red rays.
Lewisia columbiana.
Lewisia finchi, dry north exposure, pink and white, yellow striped stem, 6-8".
Lewisia purdyi, pink, very close rosette, 6".
Lewisia pygmaea. Peaty, damp, white to pink, acid.
Lewisia rediviva, rose, deciduous grasslike foliage, 2".
Lilariis ligustylis, rosy magenta, early, 8".
Lilium columbianum.
Lilium pardalinum roezli, bogs, red July, 1-4".
Lilium roezli.
Lilium washingtonianum, var. Mt. Hood.
Lilium washingtonianum, var. Shasta.
Lilium washingtonianum, var. Bohemian.
Lilium washingtonianum var. *purpureum*, ordinary well drained soil, white tinted pink in June, base-rooting, scale jointed, 3-7", plant bulb deep.
Linnaea borealis americana, Twin flower (Ac) shady evergreen creeper.
Lonicera hispidula, climb, red.
Lonicera involucrata, climb, orange.
Lupinus arboreus (Alk), blue, dry, 2'.
Lupinus argenteus (Alk), blue, evergreen, 1'.
Lupinus breweri, blue.
Lupinus chamissonis, blue.
Lupinus decumbens, (Alk) lilac, 3".
Lupinus lyali, 4", scarce.
Lupinus minimus, blue, many stemmed, 4-12".
Lupinus ornatus, well drained, sun, blue, shrubby, 8-12".
Lupinus rattensis (Alk) low.
Lupinus rivularis, moist, lavender, 2-4".
Lycopodium elatum.
Mahonia aquifolium.
Mahonia nervosa.
Malvastrum coccineum, "False mallow", Alkaline, June-August, orange scarlet, 20 in., gray-green foliage.
Melampodium leucanthus (N), like an early white zinnia.
Mentzelia aurea.
Mentzelia lanceolata (N), clear blue, dry, sunny.
Mentzelia nuda, Neutral, July, yellow, 3 ft.
Mentzelia ornata, Neutral, July, white, 3 ft., open in evening.
Mesembryanthemum aequilaterale, dry sand, magenta.
Micromeria douglasii, creeper with scented foliage, small white flower.
Mimulus glutinosus, crimson, dry.
Mimulus lewisii, Showy, yellow.
Mimulus luteus, damp, yellow, 6-10".
Mimulus primuloides, damp, light yellow, evergreen, 3".
Monardella odoratissima.
Moneses uniflora.
Monotropa auriflora.
Nemophila menziesii, blue.
Nuttallia cerasiformis.
Oenothera bistorta, golden.
Oenothera coronopifolia, white turning pink, dry poor soil.

Opuntia engelmannii, yellow.
Orthocarpus purpurascens, dark pink, sun.
Oxalis oregana, moist shade, pink.
Oxytropis splendens (Alk) rosy amethyst flowers, silvery foliage, dry, sun.
Oxytropis lamberti (Alk) crimson peashaped blossoms.
Pachistima myrsinites (Ac) fls. red, fine crimson, 3-6".
Paeonia browni, America's only native peony, 6-8".
Papaver californicum, red, half shade.
Parnassia fimbriata, bog, fls. white on 6" stem.
Parnassia palustris var. *californica*.
Pedicularis densiflora, dry, bright red, 6-10".
Pedicularis, greenlandica, Elephants' heads, damp, pink or red, 6-10".
Pedicularis ornithocynus, rosy purple, 6".
Philadelphus lewisii, Neutral, July, white,

Pentstemon albidus, Neutral, June-July, white, 10 in.
Pentstemon alpinus, deep blue.
Pentstemon auriculoides, yellow, sun.
Pentstemon angustifolius, dwarf, early, blue tinted rose.
Pentstemon bridgesii.
Pentstemon centranthifolius, red.
Pentstemon confertus var. *caerulea-purpureus*, sand, bright blue spotted pink, 6".
Pentstemon davidsoni.
Pentstemon deustus, shrubby evergreen creeper for dry rocky.
Pentstemon difusus.
Pentstemon fruticosus.
Pentstemon grandiflora, some fresh seed, 32 oz.
Pentstemon heterophyllus, Violet pentstemon, Neutral, June-October, purple, 10 in.
Pentstemon laetus, dry or ordinary garden soil, bright blue, 6-12".
Pentstemon metesii, garden soil, blue with pink throat, 3" creeper, evergreen.
Pentstemon rupeola, dry rocks in sun, creeper, rose.
Pentstemon scouleri, Neutral, July, Purple, 8-12 in.
Pentstemon unilateralis, deep blue, 3".
Peucedanum utriculatum, yellow.
Phacelia distans, lavender blue, sun.
Phacelia grandiflora, rosy lavender, sun.
Phacelia parryi, purple, sun.
Phacelia whitlavia, blue, sun.
Phlox douglasii, sand, sun, creeping mats, blue, pink or lavender, 3-4".
Phyllocladus empetrifolius.
Physocarpus opulifolius, yellow, sand, 6".
Polemonium confertum, intense blue, 1'.
Polemonium melium, small blue, 1'.
Polemonium occidentale, violet blue, shade.
Polemonium robustus, blue, 2".
Potentilla blaschkana, Neutral, July, yellow, 6-8 ft.

Primula parryi, (Ac) erimson.
Quincula lobata, purple, low, sun.
Ranunculus flammula.
Ranunculus californicus, sun, yellow.
Ranunculus orthorynchus.
Romanzoffia sitchensis.
Romanzoffia unalaschensis.
Rosa californica, pink.
Salvia carduacea, dry, purple.
Salix petrophylla, Alpine willow 2-4 in. high.
Saxifraga eastwoodiae, white.
Sisyrinchium boreale.
Sisyrinchium idahoense.
Sedum douglasii.
Sedum jepsonii, very dry, 4".
Sedum spathulifolium, dwarf, bright yellow.
Sidalcea malvaeflora, rosy lavender.
Sidalcea neomexicana, pink hollyhock like, for damp spot, 6".
Silene hookeri, pink, fringed, 2-4", long blooming.
Silene lachnata, red, shade.
Solanum umbelliferum, blue.
Silvestra pinnata, golden plumes, 2' dry, 10 in.

Stenanthium occidentalis.
Streptopus amplexifolius.
Streptopus brevipes.
Streptopus roseus.
Stachys bulbata, rose.
Sphaeralcea cuspidata, scarlet hollyhock like, 3", bushy.
Taxus brevifolia (true species), Pacific yew, evergreen, damp, shade.
Thelopsis ambigua, yellow, 3".
Thermopsis montana (Alk) yellow pea-shaped blooms, early, dry, 1'.
Thermopsis rhombifolia (Alk) yellow dwarf.
Townsendia grandiflora, annual or biennial, large white daisies in early summer, sunny, sandy.
Trichostema lanatum, pink, dry, 4".
Trichostema aurea, shade, pink.
Trifolium dasycarpum, shade, pink.
Trifolium dasyphyllum (Alk), showy pink clover, dwarf.
Trifolium parryi, larger and darker than above.
Trillium sessile chloropetalum (Ae) shade, moist, fragrant, 10-16".
Verbena ciliata, lilac, dry.
Verbena encelioides, 6".
Wyethia augustifolia, yellow, tall, moist.
Xerophyllum tenax, Beargrass, dry loam, white in fine heads, 1-4".
Yucca glauca.

Zauschneria californica, clear red, shrub.
Zygadenus gramineus, creamy flowers, a bulb, dry, sunny, sand.

Rare Plant Bargains

I have many other rarely good items but not in sufficient quantity to be sure of filling all orders—and I know how disappointed I am when the best items are left out of an order.

All plants 20c each postpaid unless otherwise noted.

Twelve plants for price of 10. Quantities of 100 priced on request, some as low as \$5 per 100.

Long lived plants are my ideal and all here named do well year after year.

ACHILLEA NANA—A fine green leaved 2 in. creeper that can be walked on as it is so dense and tough. Fills crevices nicely. Shade or sun.

ACTINEA HERBACEA—A foot high, large sunflower shaped bloom in early summer. A neglected American native. Tolerates drought and hot sun.

ARENARIA GRANDIFLORA — A selected form from cuttings of a long blooming kind of this 6 in. grassy leaved plant. Mother plant had 600 white blooms in June, and intermittently until frost. Winter foliage looks like a small phlox subulata. Stands drought. Sun or shade.

ARENARIA VERNA—Creeping low over the ground and between cracks in stones. Excellent for the rock garden and between flagstones. For cracks and crevices, not an inch high, dampness and tolerate shade. Very green foliage and white flowers.

A golden leaved variety of above that tolerates more sun. New from Europe. Same price.

ARTEMISIA FRIGIDA (Fringed wormwood) — Foot high mass of fragrant fine silvery lace foliage. Poor soil, sun.

ASCLEPIAS TUBEROSA (Butterflyweed) — Grows about two feet high. This beautiful orange milkweed attracts butterflies. It will not complain of drought as it sends its tuberous roots deep in a sandy soil and it will increase in size and beauty each year. Small plants bloom first year and larger ones wait a few years. Best planted in threes 18 inches apart. 3 for 50c.

DWARF variety of above also in stock. Seed of either 25c.

ASTER BABY'S BREATH — Popular for garden and cut flower. Round clumps 15 inches high. The foliage is dark green. Its flowering period, which is exceptionally long, begins about August. As an alternative for Gypsophila for filling in cut flower work, it is being extensively used. It is also considered one of the best rock garden and perennial plants introduced in recent years. The half inch flowers are pure white in color.

ASTER ACRIS NANA—Similar to above but lavender in color and only eight inches high.

ASTER PLEIADES—Similar to above but taller.

ASTER FRICARTI—This hardy aster has been called "Wonder of Staefa." It is a hybrid between Thomsoni and Amellus. Frikart was the originator's name and Staefa his home town in Switzerland. Likes rich, damp soil. Plant is very branching, so that it makes a large showing. Large flowers are a charming shade of blue, borne in profusion between late July and October. They last when cut and bloom first year. Two feet high.

BUDDLEIA ALTERNIFOLIA—Once in a lifetime do we find a new shrub of so outstanding merit as this. Whilst other Buddleias freeze down this wonderful new Buddleia does not freeze down. It is very distinct in bloom, with its long arching or pendulous branches covered with clusters of lilac-purple flowers from mid-summer until late fall. Reaches eight feet, stands sunny, dry soil. Deep tap root makes it hard to move in large sizes. Potted plants 75c.

CHICKORY—A pink form of the blue wild plant so often seen by roadside. Sunny, dry loam, 3 foot pink spikes blooming for three months. Bloom first year. New, from England.

CARYOPTERIS MONGOLIENSIS — Compact grey leaved shrubby 2 foot perennial, with blue flowers in late summer. A new shrub that roots as it slowly creeps, a very fine rockery and bedding plant, lasts well when cut. Aromatic scented leaves, in fact, it is like a sagebrush of our western prairies with blue flowers. Likes dry, poor, sunny place. Blooms first year. 50c. Seed 25c.

CHRYSANTHEMUM AMELIA—A foot high and absolutely a mound of large pink mums in late August. Freest flowering one I have ever seen, blooms from ground line up. Most outdoor mums here bloom too late to be usable. This August and September bloomer is a "find."

CYDONIA SINENSIS PYGMAE—Related to the blood red Japanese Quince or "Japonica" that blooms in May. This variety is dwarf, wider than tall, with apple-like salmon or pink blooms followed by inch diameter fruit. Never before offered in America. A shrub two feet high and probably four feet wide, when mature. Any sunny soil. 75c. Seed 50c.

ERYNGIUM JEWELL—New from England. Steel blue leaves and stems, and dark blue round flower heads in July. Much superior to seedlings. This has to be divided as seed does not come true. Three feet, long lived. \$1.00.

Rare Plant Bargains

All plants 20c each postpaid unless otherwise noted.

Twelve plants for price of 10. Quantities of 100 priced on request, some as low as \$5 per 100.

CORONILLA MINIMA—1 inch high creeping branches with pinnate leaves. One inch golden crowns of pea shaped flowers in June. Sun, ordinary loam. New, rarely good. Foliage is intensely green during hot weather.

LOTUS CORNICULATA FLORE PLENA — Somewhat similar to above. Flowers are double, plant is leafier and it creeps faster. Very green in hot weather when some plants look sickly.

LONICERA KOROLKOWI FLORIBUNDA (Blueleaf honeysuckle)—Twiggy bush, grey green leaves, arching in habit, pleasing pink blooms in June. In rich soil 10 foot height may be attained. Scarlet fruit in autumn Introduced from Turkestan in 1889. A genuinely fine plant. Two foot plants, 75c.

POTENTILLA FRUTICOSA PURDOMI — Pale half-inch yellow flowers in the spring and scattered yellow flowers all summer, very fine, 2 foot. Shrubby, and should be cut half way back each spring to induce twig-giness. Tolerates very wet or very dry soil, the drier the richer. Full sun. This and the next are new fine items from Thibet. 50c.

POTENTILLA FRUTICOSA FARRERI — Similar to above but dark yellow, leaves smaller and is less upright. Both very fine. 50c.

ROSA ROULETTI—The Rock Garden Rose—One of the hardy introductions. The inch double pink flowers are produced abundantly all through the summer. Eight inches high. You will admire and cherish this dainty little rose. One imported from Switzerland where it was used as an everblooming potted window plant. Small potted plants that will bloom first year. 75c.

SEDUM ACRE MINUS—An absolutely dwarf sedum acre, quite a bit smaller than the form "minor" which up to now was the smallest available. Makes wonderful mounds of dark green. Yellow flowers in June. A new item from Europe. Very fine for a sunny rock garden. An inch high. 25c.

THYME, DWARF LEMON—A lemon scented upright thyme I have is barely hardy. This dwarf creeping one is exceedingly hardy and its lemon scented foliage with purple flower spikes make it very desirable.

THYME, DWARF RED—Red thymes are often tall and scraggly. This inch high red flowered aromatic leaved one is very fine. Thyme likes sun and not much water. New.

VERONICA ARMENA—Best rock garden plant for all around use in last three years. Slow creeper with finely cut leaves that always look well. Flax blue $\frac{1}{2}$ in. flowers in early spring literally covering the plant, with scattering bloom until frost. Very hardy. Does well in any position seemingly.

VERONICA FILIFORMIS—Exceedingly fast creeper, round leaved, very green, with blue flowers in spring. New and unusually usable. Shade and moisture. Can be walked on and makes a nice shady path.

VERONICA INCANA—Deep blue flowers with silvery foliage. Has good appearance, both in and out of bloom. Useful in rockery or for edging paths and flower beds. One foot.

VERONICA PECTINATA—Grey leaved dense creeper like a larger woolly thyme. Rose flowers in spring. Dry sunny loam. Very fine.

The following are too large to mail and will be sent express collect. On orders over \$10 I pay express. Plants sent are 2 to 6 feet high, according to habit.

ACER MONO—A shrubby maple with shiny brown red spring foliage and tips of branches brown red when growing, with deep green leaves further in. New, fine. Fine autumn color. \$1.50.

COTONEASTER RACEMIFLORA SOONGARICA — Grey leaved shrub, light flowers in spring and the best bright red berries in September of any cotoneaster that is hardy here. If you have room for only one this is the "one best." Compact, well shaped shrub. \$1.00.

FORSYTHIA OVATA—A hardier one. 75c.

ELEAGNUS UMBELLATA—Great masses of salmon colored quarter-inch berries in October. A small tree with silver green leaves. Dry soil tolerated. 75c.

PHYSOCARPUS MONOGYNUS—Quick growing, hardy, neat looking rather upright shrubs that can be kept to about 4 feet are scarce. This June bloomer has small leaves in very dense arrangement and even just the leafage looks well, but it also has rather pink spirae-like flowers in great plenty. The old wood should be pruned out after blooming. A very easy doer and should quickly become popular. Cheap, for a new good thing. 50c.

FRANK W. CAMPBELL

1112 Pinehurst, Royal Oak, Mich.

Near Northwood firehall in Royal Oak.

From Woodward take Northwood Blvd. which starts at the stone Shrine Tower at 12 Mile Road and Woodward, 1 mile east to end.